Date

Tuesday, 4/18/2006 9:58:18 AM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 26639

**Estimate Number** 

: 10964

P.O. Number

AIH:

This Issue : 4/18/2006

: NC Prsht Rev.

: NIA First Issue

: NIA Previous Run

Written By

Checked & Approved By Comment

Type

S.O. No. : N/A

: SMALL /MED FAB

Part Number

**Due Date** 

**Drawing Name** 

**Drawing Number Project Number** 

: D2565 REV E : N/A

; E **Drawing Revision** Material

:NA : 4/28/2006

: STRUT

: D2565301

Each

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

304 RD Tube .750 x .049W

M304TR0750W049

Comment: Qty.: 2.3888 f(s)/Unit Total:

23.8875 f(s) Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall

(M304TR0750W049)

Batch No: \_ NC BRAKE

FF 06.05.09

2.0

1.0

BRAKE NC

Comment: BRAKE NC

Punch as per Dwg D2565 using DT 8313

06.05.09

3.0

SMALL FAB 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Drill hole open to .316 Ø as per Dwg D2565 (one end only)

Deburr

QC5

INSPECT WORK TO CURRENT STEP

SMALL & MEDIUM FAB RESOURCE 1



10

(G)

10

4.0

Comment: INSPECT WORK TO CURRENT STEP

5.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3



04/05/14

<b>W</b> /O:			WC	RK ORDER CHAN	IGES				
DATE	STEP	PR	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
						(2)			
				<del>.</del>					
Part No	•	PAR #:	Fault Cate	jory:	NCR: Ye	s No DO	A:	<u> </u>	<u>6/05/18</u>
					QA	N/C Close	ed:	Date: _	
NCR:			WORK ORDE	R NON-CONFORM	MANCE (NO	CR)			
DATE	STEP	Description of NC	Corrective Action Section B			Verif	Verification	Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	n Sigi Da	1& Sec	tion C	Chief Eng	QC Inspector
······································									
							i i		

NOTE: Date & initial all entries

Tuesday, 4/18/2006 9:58:18 AM Date: User: 1 Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services **Drawing Name: STRUT** Job Number: 26639 Part Number: D2565301 Job Number: Seq. #: Machine Or Operation: Description: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock Location: ST186

DC 8.0

Comment: DOCUMENT CONTROL Inspection Level 21

Job Completion



06/05)

W 200105/18 (8)

Dart Ae	rospace Ltd						
W/O:			WORK ORDER	CHANGES			
DATE	STEP	PROC	EDURE CHANGE	Ву	Date	Qty Chief E	ng / Approval
;							7
Part No:		PAR #:	Fault Category:	NCR: Y	es No DQ	A: Dat	te:
			•	Q	A: N/C Close	ed: Dat	te:
NCP.		W	ORK ORDER NON-CO	NFORMANCE (N	CR)	· · · · · · · · · · · · · · · · · · ·	


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description	of NC		<b>Corrective Action</b>	Section B	*	Verification	Approval	Annrova
DATE	STEP	STEP Description of NC Section A		Initial Action Description Chief Eng Chief Eng		Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector	
								ŀ		
		,								
									å	
						<u> </u>				
							II.			

NOTE: Date & initial all entries





	DESIGN #		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHECK	KED M	APPROVEO	DRAWING NO. REV. E				
		#	#	D2565 SHEET 1 OF 1				
ļ	DATE			TITLE SCALE				
	04.0	05.05		STRUT 1:3				
	Α		96.05.03	NEW ISSUE				
	В		97.03.15	CORRECT D2565-111 DIM. A				
	С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)				
	D		02.06.05	ADD -3XX PARTS; ADD FINISH				
	E		04.05.05	ADD D2565-401-411; RMV ANGLE D				



A
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY
PUNCH ENDS PER SPEC CONTROL DRAWING D2638

	PART #	Α	В	DIA C
	D2565-101	20.52		0.316
	D2565-103	18.21	17.41	0.316
	D2565-105			0.316
	D2565-107		12.63	_
	D2565-109	12.31	11.51	-
	D2565-111	13.65	12.85	*iem
		22.79		
	D2565-203			
	D2565-205			0.316
	D2565-207	16.07	15.27	
	D2565-209			
	D2565-211	14.14	13.34	
		27.03		
	D2565-303	25.34	24.54	0.316
	D2565-305	23.73	22.93	
	D2565-307			
ı	D2565-309			
	D2565-311	16.30	15.50	
				279
	D2565-401	18.29		
	D2565-403			0.316
ı	D2565-405			0.316
- 1	D2565-407	10.79	9.99	-
	D2565-409	9.34	8.54	_
(	D2565-411	13.81	13.01	

**GENERAL NOTES** 

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

SHOP COPY RETURN TO ENGINEERING

(REF DART SPEC. M304TR0.750W0.049)

UNCONTROLLED COPY

WORK ORDER

ENSURE SEAMLESS TUBE IS USED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

UNCONTROLLED

ONCONTROLLED

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






DESIG	KE	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECK	ED /	APPROVED	DRAWING NO.	REV. A
1	107	14	D2638 SHEET	1 OF 1
DATE	··Y		TITLE	SCALE
98.0	)4.28		PUNCH DT8117 SPEC CONTROL	1:1
 Α		98.04.28	NEW ISSUE	



## SPECIFICATION CONTROL DRAWING FOR PUNCH DT8117



SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 26639